


DLE-DLI080 Dynamometers

ELECTRONIC DYNAMOMETERS - DLE

These devices are suitable for accurate measure of the pull value.


Precision 0,2%



Model	Capacity lbf (kN)	Dimensions inches (mm)					Mass lbs (kg)
		A	B	C	D	E	
21000710	1,124 (5)	7.5 (190)	3.3 (83)	2.2 (56)	0.6 (16)	5.9 (150)	2.4 (1.1)
21000720	2,810 (12.5)	7.5 (190)	3.3 (83)	2.2 (56)	0.6 (16)	5.9 (150)	2.4 (1.1)
21000730	5,620 (25)	8.4 (214)	3.3 (85)	2.2 (56)	0.9 (24)	6.3 (160)	3.1 (1.4)
21000740	11,240 (50)	8.9 (226)	3.5 (90)	2.2 (56)	1.3 (32)	6.5 (165)	4.2 (1.9)
21000794	22,480 (100)	12.2 (310)	4.3 (110)	2.3 (58)	1.9 (47)	7.7 (196)	8.4 (3.8)
21000750	28,101 (125)	12.2 (310)	4.3 (110)	2.3 (58)	1.9 (47)	7.7 (196)	8.4 (3.8)
21000760	56,202 (250)	14.2 (360)	5.3 (134)	2.7 (68)	2.2 (56)	8.5 (216)	14.6 (6.6)
21000770	112,404 (500)	17.3 (440)	6.5 (164)	3.9 (98)	2.8 (72)	10.2 (260)	33.3 (15.1)

HYDRAULIC DYNAMOMETER - DLI080

This device is suitable for accurate measure of the pull value.



Model	Capacity lbf (kN)	Dimensions inches (mm)							Mass lbs (kg)
		A	B	C	D	E	F	G	
21000780	10,116 (45)	4.7 (120)	2.0 (50)	12.8 (326)	9.7 (247)	3.7 (93)	0.9 (22)	0.7 (19)	9.7 (4.4)

